

**Cite this as:** Junming Wang, Yuchen Sheng, Lili Ji, Zhengtao Wang. 2014. Ferulic acid prevents liver injury and increases the anti-tumor effect of diosbulbin B *in vivo*. *Journal of Zhejiang University-SCIENCE B (Biomedicine & Biotechnology)*, 15(6):540-547. [doi:10.1631/jzus.B1300250]

# Ferulic acid prevents liver injury and increases the anti-tumor effect of diosbulbin B *in vivo*

---

**Key words:** Ferulic acid; Diosbulbin B; Hepatotoxicity; Oxidative stress injury; Anti-tumor activity

- *Dioscorea bulbifera* L. is traditionally used to treat thyroid disease and tumors in China. However, its potential hepatotoxicity has seriously limited the clinical application of *Dioscorea bulbifera* L.
- Diosbulbin B, a diterpene lactone, has been found to be the main toxic component in *Dioscorea bulbifera* L.
- Ferulic acid is one of the main bioactive molecules in *Angelica sinensis* (Oliv.) Diels, and is reported to have various activities such as anti-oxidant, anti-tumor, anti-fatigue, etc.
- The present study demonstrates that ferulic acid prevents diosbulbin B-induced liver injury via ameliorating liver oxidative stress injury.
- The anti-tumor experiment in vivo demonstrates that ferulic acid augments diosbulbin B-inhibited tumor growth.
- This study provides strong experimental evidences for the detoxification of ferulic acid against diosbulbin B-induced liver injury , and the combined application of ferulic acid and diosbulbin B for cancer therapy in clinic.

