

- method for BCI. *Front Inf Technol Electron Eng*, 20(8):1087-1098.
<https://doi.org/10.1631/FITEE.1800083>
- Tao W, Li C, Song RC, et al., 2023. EEG-based emotion recognition via channel-wise attention and self attention. *IEEE Trans Affect Comput*, 14(1):382-393.
<https://doi.org/10.1109/TAFFC.2020.3025777>
- Tripathi S, Acharya S, Sharma RD, et al., 2017. Using deep and convolutional neural networks for accurate emotion classification on DEAP data. Proc 31st AAAI Conf on Artificial Intelligence, p.4746-4752.
<https://doi.org/10.1609/aaai.v31i2.19105>
- Vaswani A, Shazeer N, Parmar N, et al., 2017. Attention is all you need. 31st Int Conf on Neural Information Processing Systems, p.6000-6010.
- Vijayan AE, Sen D, Sudheer AP, 2015. EEG-based emotion recognition using statistical measures and autoregressive modeling. IEEE Int Conf on Computational Intelligence & Communication Technology, p.587-591.
<https://doi.org/10.1109/CICT.2015.24>
- Wang Q, Sourina O, Nguyen MK, 2011. Fractal dimension based neurofeedback in serious games. *Vis Comput*, 27(4):299-309.
<https://doi.org/10.1007/s00371-011-0551-5>
- Wang XW, Nie D, Lu BL, 2014. Emotional state classification from EEG data using machine learning approach. *Neurocomputing*, 129:94-106.
<https://doi.org/10.1016/j.neucom.2013.06.046>
- Wei C, Chen LL, Song ZZ, et al., 2020. EEG-based emotion recognition using simple recurrent units network and ensemble learning. *Biomed Signal Process Control*, 58:101756.
<https://doi.org/10.1016/j.bspc.2019.101756>
- Yang BH, He LF, Lin L, et al., 2015. Fast removal of ocular artifacts from electroencephalogram signals using spatial constraint independent component analysis based recursive least squares in brain-computer interface. *Front Inf Technol Electron Eng*, 16(6):486-496.
<https://doi.org/10.1631/FITEE.1400299>
- Yang Y, Gao Q, Song XL, et al., 2021. Facial expression and EEG fusion for investigating continuous emotions of deaf subjects. *IEEE Sens J*, 21(15):16894-16903.
<https://doi.org/10.1109/JSEN.2021.3078087>
- Yang YL, Wu QF, Fu YZ, et al., 2018a. Continuous convolutional neural network with 3D input for EEG-based emotion recognition. 25th Int Conf on Neural Information Processing, p.433-443.
https://doi.org/10.1007/978-3-030-04239-4_39
- Yang YL, Wu QF, Qiu M, et al., 2018b. Emotion recognition from multi-channel EEG through parallel convolutional recurrent neural network. Int Joint Conf on Neural Networks, p.1-7.
<https://doi.org/10.1109/IJCNN.2018.8489331>
- Yang YX, Gao ZK, Wang XM, et al., 2018. A recurrence quantification analysis-based channel-frequency convolutional neural network for emotion recognition from EEG. *Chaos*, 28(8):085724.
<https://doi.org/10.1063/1.5023857>
- Yin YQ, Zheng XW, Hu B, et al., 2021. EEG emotion recognition using fusion model of graph convolutional neural networks and LSTM. *Appl Soft Comput*, 100:106954.
<https://doi.org/10.1016/j.asoc.2020.106954>
- Zhang DL, Yao LN, Zhang X, et al., 2018. Cascade and parallel convolutional recurrent neural networks on EEG-based intention recognition for brain computer interface. Proc 32nd AAAI Conf on Artificial Intelligence, p.1703-1710.
<https://doi.org/10.1609/aaai.v32i1.11496>
- Zhang QQ, Liu Y, 2018. Improving brain computer interface performance by data augmentation with conditional deep convolutional generative adversarial networks.
<https://arxiv.org/abs/1806.07108>.
- Zhang T, Zheng WM, Cui Z, et al., 2019. Spatial-temporal recurrent neural network for emotion recognition. *IEEE Trans Cybern*, 49(3):839-847.
<https://doi.org/10.1109/TCYB.2017.2788081>
- Zheng WL, Lu BL, 2015. Investigating critical frequency bands and channels for EEG-based emotion recognition with deep neural networks. *IEEE Trans Auton Ment Dev*, 7(3):162-175.
<https://doi.org/10.1109/TAMD.2015.2431497>
- Zhong XY, Gu Y, Luo YT, et al., 2023. Bi-hemisphere asymmetric attention network: recognizing emotion from EEG signals based on the transformer. *Appl Intell*, 53(12):15278-15294.
<https://doi.org/10.1007/s10489-022-04228-2>