

cross-beam synthesis method. The study in this paper provides a theoretical basis for the layout of low-altitude UAV interference systems and ultimately the improvement of interference efficiency at a certain point.

Contributors

Dalong XU designed the research. Dalong XU, Jian WU and Jianyin CAO processed the data. Jian WU drafted the manuscript. Jianyin CAO helped organize the manuscript. Hao WANG and Xiang LI revised and finalized the paper.

Conflict of interest

All the authors declare that they have no conflict of interest.

References

- Chen QJ, Huang WJ, Jiang QX, et al., 2015. Effect of cross angles on power synthesis of cross beams. *Radar Sci Technol*, 13(4):439-443, 448 (in Chinese).
<https://doi.org/10.3969/j.issn.1672-2337.2015.04.018>
- Cicchetti R, Faraone A, Testa O, 2019. Near field synthesis based on multi-port antenna radiation matrix eigenfields. *IEEE Access*, 7:62184-62197.
<https://doi.org/10.1109/ACCESS.2019.2912305>
- Ju T, Huang GM, Man X, 2020. A spatial power synthetic method for random distributed array communication jammers. *Fire Control Command Control*, 45(8):57-61, 67 (in Chinese).
<https://doi.org/10.3969/j.issn.1002-0640.2020.08.009>
- Kennedy RA, Abhayapala TD, Ward DB, 1998. Broadband nearfield beamforming using a radial beam pattern transformation. *IEEE Trans Signal Process*, 46(8):2147-2156.
<https://doi.org/10.1109/78.705426>
- Liu SD, Jiao YC, Zhang FS, 2006. Effect of random surface errors on radiation characteristics of the side-fed offset Cassegrain antenna. *Front Electr Electron Eng China*, 1(3):345-349.
<https://doi.org/10.1007/s11460-006-0029-9>
- Liu W, Zhou HJ, Luo XG, 2012. Combined efficiency analysis of spatial power combining. *IEEE 11th Int Conf on Signal Processing*, p.333-337.
<https://doi.org/10.1109/ICoSP.2012.6491668>
- Luo SG, 2009. Development status and trend of electronic warfare unmanned aerial vehicle. *Shipboard Electron Countermeas*, 32(2):26-28, 52 (in Chinese).
<https://doi.org/10.3969/j.issn.1673-9167.2009.02.006>
- Tian SY, 2019. Research on Spatial Power Combination Technology of Distributed Array Based on Time Reversal. MS Thesis, National University of Defense Technology, Changsha, China.
<https://doi.org/10.27052/d.cnki.gzjgu.2019.000835>
- Wu J, Cao JY, Xu DL, et al., 2023. Analysis of spatial power synthesis based on near-field beamforming theory for distributed UAV interference applications. *IEEE 11th Asia-Pacific Conf on Antennas and Propagation*, p.1-2.
<https://doi.org/10.1109/APCAP59480.2023.10470333>
- Xu G, Xu Y, Shi MY, et al., 2013. Impact of random phase error on microwave power combining efficiency. *High Power Laser Part Beams*, 25(11):2914-2918 (in Chinese).
<https://doi.org/10.3788/HPLPB20132511.2914>
- Yao SF, Chu FH, Qu Y, et al., 2015. Analysis about factors affect spatial power combining efficiency. *Fire Control Command Control*, 40(11):77-79 (in Chinese).
<https://doi.org/10.3969/j.issn.1002-0640.2015.11.017>
- Zhang K, Liu ZJ, Nie JW, et al., 2016. Spatial power combining based on distributed antennas in earth station. *Acta Aeronaut Astronaut Sin*, 37(6):1912-1920 (in Chinese).
<https://doi.org/10.7527/S1000-6893.2016.0001>
- Zhang YB, Zhang H, Liao GS, 2006. A technology of spatial power-combination for the random decentralized jammer array. *J Xidian Univ*, 33(1):150-155 (in Chinese).
<https://doi.org/10.3969/j.issn.1001-2400.2006.01.035>
- Zhang YX, Zeng QD, Zhang W, 2017. Overview of UAV development. *J Henan Sci Technol*, (9):58-59 (in Chinese).
<https://doi.org/10.3969/j.issn.1003-5168.2017.09.030>